

Ahmed AA, Ma W, Guo F, Ni Y, Grossmann R, Zhao R: 2013. Differences in egg deposition of corticosterone and embryonic expression of corticosterone metabolic enzymes between slow and fast growing broiler chickens. *Comparative Biochemistry and Physiology* **164**:200-206.

Borchert D, Köhler P, Jäger T, Diederich M, Hüther L, Berk A, Lamadé W: 2013. Prolonged capnoperitoneum does not cause postoperative ileus in pigs: Safety of prolonged capnoperitoneum. *Minimally Invasive Therapy* (epub ahead of print, 31.10.2013). doi: 10.3109/13645706.2013.855234.

Busby SA, Crossan C, Godwin J, Petersen B, Galli C, Cozzi E, Takeuchi Y, Scobie L: 2013. Suggestions for the diagnosis and elimination of hepatitis E virus in pigs used for xenotransplantation. *Xenotransplantation* **20**:188-192.

Cebrian-Serrano A, Silvestre MA, Ruiz S, Rath D: 2013. Effect of sex-sorted sperm on development and quality of in vitro-produced bovine embryos derived from ovum pick up oocytes. *Anim Sci Pap Rep* **31**:111-122.

Ceccobelli S, Di Lorenzo P, Lancioni H, Castellini C, Monteagudo Ibanez LV, Sabbioni A, Sarti FM, Weigend S, Lasagna E: 2013. Phylogeny, genetic relationships and population structure of five Italian local chicken breeds. *Italian Journal of Animal Science* **12**:e66, 410-417.

Couto N, Belas A, Tilley P, Couto I, Gama LT, Kadlec K, Schwarz S, Pomba C: 2013. Biocide and antimicrobial susceptibility of methicillin-resistant staphylococcal isolates from horses. *Vet Microbiol.* **166**(1-2):299-303.

Cui L, Wang Y, Li Y, He T, Schwarz S, Ding Y, Shen J, Lv Y: 2013. Cfr-mediated linezolid-resistance among methicillin-resistant coagulase-negative staphylococci from infections of humans. *PLoS One.* **8**(2):e57096.

Du GM, Liu MJ, Parvizi N, Zhao RQ: 2013. Ectopic expression of ghrelin affects gastric H(+)-K(+)-ATPase activity and expression of GHR/IGF-1 system in weaned mice. *Regul Pept* **186**:12-17.

Eidam C, Poehlein A, Brenner Michael G, Kadlec K, Liesegang H, Brzuszkiewicz E, Daniel R, Sweeney MT, Murray RW, Watts JL, Schwarz S: 2013. Complete genome sequence of *Mannheimia haemolytica* strain 42548 from a case of bovine respiratory disease. *Genome Announc.* **1**(3):e00318-13, doi:10.1128/genomeA.00318-13.

Gómez-Sanz E, Kadlec K, Feßler AT, Billerbeck C, Zarazaga M, Schwarz S, Torres C: 2013. Analysis of a novel *erm(T)*- and *cadDX*-carrying plasmid from methicillin-susceptible *Staphylococcus aureus* ST398-t571 of human origin. *J Antimicrob Chemother* **68**(2):471-473.

Gómez-Sanz E, Kadlec K, Feßler AT, Zarazaga M, Torres C, Schwarz S: 2013. A novel *fexA* variant from a canine *Staphylococcus pseudintermedius* isolate that does not confer florfenicol resistance. *Antimicrob Agents Chemother* **57**(11):5763-5766.

Gómez-Sanz E, Kadlec K, Feßler AT, Zarazaga M, Torres C, Schwarz S: 2013. Novel *erm(T)*-carrying multiresistance plasmids from porcine and human isolates of methicillin-resistant *Staphylococcus aureus* ST398 that also harbor cadmium and copper resistance determinants. *Antimicrob Agents Chemother* **57**(7):3275-3282.

Gómez-Sanz E, Zarazaga M, Kadlec K, Schwarz S, Torres C: 2013. Chromosomal integration of the novel plasmid pUR3912 from methicillin-susceptible *Staphylococcus aureus* ST398 of human origin. *Clin Microbiol Infect* **19**(11):E519-22.

Gonzalez-Serrano AF, Pirro V, Ferreira CR, Oliveri P Eberlin LS, Heinzmann J, Lucas-Hahn A, Niemann H, Cooks RG: 2013. Desorption electrospray ionization mass spectrometry reveals lipid metabolism of individual oocytes and embryos. *PLoS One* **8**:e74981.

Granevitze Z, David L, Twito T, Weigend S, Feldman M, Hillel J: 2013. Phylogenetic resolution power of microsatellites and various single-nucleotide polymorphism types assessed in 10 divergent chicken populations. *Anim Genet*, Epub ahead of print; doi:10.1111/age.12088.

Groeneveld E, Truong CVC: 2013. A database for efficient storage and management of multi panel SNP data. *Archiv Tierzucht* **56**:103, 1-6.

Hartmann D, Bollwein H, Honnens A, Niemann H, Rath D, Pfarrer C: 2013. Protracted induction of parturition enhances placental maturation, but does not influence incidence of placental retention in cows. *Theriogenology* **80**:185-192.

Hartmann D, Honnens A, Piechotta M, Luttgenau J, Niemann H, Rath D, Bollwein H: 2013. Effects of a protracted induction of parturition on the incidence of retained placenta and assessment of uterine artery blood flow as a measure of placental maturation in cattle. *Theriogenology* **80**:176-184.

Hauschild-Quintern J, Petersen B, Queisser AL, Lucas-Hahn A, Schwinzer R, Niemann H: 2013. Gender non-specific efficacy of ZFN mediated gene targeting in pigs. *Transgenic Res* **22**:1-3.

Hauschild-Quintern J, Petersen B, Cost GJ, Niemann H: 2013. Gene knockout and knockin by zinc-finger nucleases: current status and perspectives. *Cell Mol Life Sci* **70**:2969-2983.

Herrmann D, Dahl JA, Lucas-Hahn A, Collas P, Niemann H: 2013. Histone modifications and mRNA expression in the inner cell mass and trophectoderm of bovine blastocysts. *Epigenetics* **8**:281-289.

Hochberger J, Köhler P, Kruse E, Hüppertz J, Delvaux M, Gay G, Wedi E: 2013. Endoskopische Submukosadissektion. *Internist* **54**:287-301.

Huang Y, Runge M, Michael GB, Schwarz S, Jung A, Steinhagen D: 2013. Biochemical and molecular heterogeneity among isolates of *Yersinia ruckeri* from rainbow trout (*Oncorhynchus mykiss*, Walbaum) in north west Germany. *BMC Vet Res* **9**(1):215.

Jia Y, Cong R, Li R, Yang X, Sun Q, Parviz N, Zhao R: 2013. Maternal low-protein diet induces gender-dependent changes in epigenetic regulation of the glucose-6-phosphatase gene in newborn piglet liver. *J Nutr* **142**(9):1659-1665.

Jia Y, Li R, Cong R, Yang X, Sun Q, Parviz N, Zhao R: 2013. Maternal low-protein diet affects epigenetic regulation of hepatic mitochondrial DNA transcription in a sex-specific manner in newborn piglets associated with GR binding to its promoter. *PLoS One* **8**(5):e63855.

Kranis A, Gheyas AA, Boschiero C, Turner F, Yu L, Smith S, Talbot R, Pirani A, Brew F, Kaiser P, Hocking PM, Fife M, Salmon N, Fulton J, Strom TM, Haberer G,

Weigend S, Preisinger R, Gholami M, Qanbari S, Simianer H, Watson KA, Woolliams JA, Burt DW: 2013. Development of a high density 600K SNP genotyping array for chicken. *BMC Genomics* **14**:59. doi: 10.1186/1471-2164-14-59.

Kretzschmar K, Weigend S, Steingass H, Schmutz M, Preisinger R, Dänicke S: 2013. Interaktionen zwischen flavinhaltiger Monooxygenase 3 (FMO3) und der Fütterung von Ackerbohnen und Rapskuchen auf den Trimethylamin (TMA)-gehalt im Eidotter von Legehennen. *Arch Geflügelk* **77**:145-154.

Kues WA, Herrmann D, Barg-Kues B, Haridoss S, Nowak-Imialek M, Buchholz T, Streeck M, Grebe A, Grabundzija I, Merkert S, Martin U, Hall VJ, Rasmussen MA, Ivics Z, Hyttel P, Niemann H: 2013. Derivation and characterization of Sleeping Beauty transposon-mediated induced porcine pluripotent stem cells. *Stem Cells Dev* **22**:124-135.

Kues WA, Talluri TR, Garrels W: 2013. Delineating the placental maternal-fetal interface. *Mol Reprod Dev* (epub ahead of print, 06.11.2013). doi: 10.1002/mrd.22276.

LaMarre J, Mendes RE, Szal T, Schwarz S, Jones RN, Mankin AS: 2013. The genetic environment of the *cfr* gene and the presence of other mechanisms account for the very high linezolid resistance of *Staphylococcus epidermidis* isolate 426-3147L. *Antimicrob Agents Chemother* **57**(3):1173-1179.

Li B, Wendlandt S, Yao J, Liu Y, Zhang Q, Shi Z, Wei J, Shao D, Schwarz S, Wang S, Ma Z: 2013. Detection and new genetic environment of the pleuromutilin-lincosamide-streptogramin A resistance gene *lsp(E)* in methicillin-resistant *Staphylococcus aureus* of swine origin. *J Antimicrob Chemother* **68**(6):1251-1255.

Liu Y, Wang Y, Schwarz S, Li Y, Shen Z, Zhang Q, Wu C, Shen J: 2013. Transferable multiresistance plasmids carrying *cfr* in *Enterococcus* spp. from swine and farm environment. *Antimicrob Agents Chemother* **57**(1):42-48.

Maruniakova N, Kolesarova A, Kadasi A, Medvedova M, Halenar M, Sirotnik AV, Grossmann R, Bulla J: 2013. Release of progesterone and testosterone by ovarian granulosa cells after addition of T-2 toxin and its combination with growth factor IGF-I. *Journal of Microbiology, Biotechnology and Food Sciences* **2**:1864-1874.

Mendes RE, Deshpande LM, Bonilla HF, Schwarz S, Huband MD, Jones RN, Quinn JP: 2013. Dissemination of a pSCFS3-like *cfr*-carrying plasmid in *Staphylococcus aureus* and *Staphylococcus epidermidis* clinical isolates recovered from hospitals in Ohio. *Antimicrob Agents Chemother* **57**(7):2923-2928.

Monecke S, Ruppelt A, Wendlandt S, Schwarz S, Slickers P, Ehricht R, Jäckel SC: 2013. Genotyping of *Staphylococcus aureus* isolates from diseased poultry. *Vet Microbiol* **162**(2-4):806-812.

Nowak-Imialek M, Niemann H: 2013. Pluripotent cells in farm animals: State of the art and future perspectives. *Reprod Fertil Dev* **25**:103-128.

Petkov SG, Hyttel P, Niemann H: 2013. The choice of expression vector promoter is an important factor in the reprogramming of porcine fibroblasts into induced pluripotent cells. *Cell Reprogram* **15** (1):1-8.

Pfaff N, Lachmann N, Ackermann M, Kohlscheen S, Brendel C, Maetzig T, Niemann H, Antoniou MN, Grez M, Schambach A, Cantz T, Moritz T: 2013. An

ubiquitous chromatin opening element prevents transgene silencing in pluripotent stem cells and their differentiated progeny. *Stem Cells* **31**:488-499.

Rath D, Barcikowski S, de Graaf S, Garrels W, Grossfeld R, Klein S, Knabe W, Knorr C, Kues WA, Meyer H, Moench-Tegder G, Rehbock C, Taylor U, Washausen S: 2013. Sex selection of sperm in farm animals: Status report and developmental prospects. *Reproduction* **145**:R15-30.

Rensch U, Klein G, Schwarz S, Kaspar H, de Jong A, Kehrenberg C: 2013. Comparative analysis of the susceptibility to triclosan and three other biocides of avian *Salmonella enterica* isolates collected 1979 through 1994 and 2004 through 2010. *J Food Prot* **76**(4):653-656.

Riesenbeck A, Feßler AT, Frömke C, Kadlec K, Klarmann D, Kreienbrock L, Werckenthin C, Schwarz S: 2013. Harmonization of antimicrobial susceptibility testing by broth microdilution for *Rhodococcus equi* of animal origin. *J Antimicrob Chemother* **68**(9):2173-2175.

Schink AK, Kadlec K, Hauschild T, Brenner Michael G, Dörner JC, Ludwig C, Werckenthin C, Hehnen HR, Stephan B, Schwarz S: 2013. Susceptibility of canine and feline bacterial pathogens to pradofloxacin and comparison with other fluoroquinolones approved for companion animals. *Vet Microbiol* **162**(1):119-126.

Schink AK, Kadlec K, Kaspar H, Mankertz J, Schwarz S: 2013. Analysis of extended-spectrum-β-lactamase-producing *Escherichia coli* isolates collected in the GERM-Vet monitoring programme. *J Antimicrob Chemother* **68**(8):1741-1749.

Shen J, Wang Y, Schwarz S: 2013. Presence and dissemination of the multiresistance gene *cfr* in Gram-positive and Gram-negative bacteria. *J Antimicrob Chemother* **68**(8):1697-1706.

Sirotkin AV, Pavlova S, Tena-Sempere M, Grossmann R, Jimenez MR, Rodriguez JMC, Valenzuela F: 2013. Food restriction, ghrelin, its antagonist and obestatin control expression of ghrelin and its receptor in chicken hypothalamus and ovary. *Comparative Biochemistry and Physiology* **164**:141-153.

Taylor U, Barchanski A, Petersen S, Kues WA, Baulain U, Gamrad L, Sajti L, Barcikowski S, Rath D: 2013. Gold nanoparticles interfere with sperm functionality by membrane adsorption without penetration. *Nanotoxicology*, doi: 10.3109/17435390.2013.859321.

Tiedemann D, Taylor U, Rehbock C, Jakobi J, Klein S, Kues WA, Barcikowski S, Rath D: 2013. Reprotoxicity of gold, silver and gold-silver alloy nanoparticles on mammalian gametes. *Analyst*, doi: 10.1039/C3AN01463K).

Tippenhauer M, Heller DE, Weigend S, Rautenschlein S: 2013. The host genotype influences infectious bursal disease virus pathogenesis in chickens by modulation of T cells responses and cytokine gene expression. *Developmental and Comparative Immunology* **40**(1):1-10. <http://dx.doi.org/10.1016/j.dci2012.10.013>.

Truong CVC, Duchev ZH, Groeneveld E: 2013. Data framework for efficient management of sequence and microsatellite data in biodiversity studies. *Archiv Tierzucht* **56**(6):50-64.

Wang S, Ni Y, Guo F, Fu W, Grossmann R, Zhao R: 2013. Effect of corticosterone on growth and welfare of broiler chickens showing long or short tonic immobility. *Comparative Biochemistry and Physiology* **164**:537-543.

Wang Y, Li D, Song L, Liu Y, He T, Liu H, Wu C, Schwarz S, Shen J: 2013. First report of the multiresistance gene *cfr* in *Streptococcus suis*. *Antimicrob Agents Chemother* **57**(8):4061-4063.

Wang Y, He T, Schwarz S, Zhao Q, Shen Z, Wu C, Shen J: 2013. Multidrug resistance gene *cfr* in methicillin-resistant coagulase-negative staphylococci from chickens, ducks, and pigs in China. *Int J Med Microbiol* **303**(2):84-87.

Weiβ S, Kadlec K, Feßler AT, Schwarz S: 2013. Identification and characterization of methicillin-resistant *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Staphylococcus haemolyticus* and *Staphylococcus pettenkoferi* from a small animal clinic. *Vet Microbiol* **167**(3-4): 680-685.

Wendlandt S, Feßler AT, Monecke S, Ehricht R, Schwarz S, Kadlec K: 2013. The diversity of antimicrobial resistance genes among staphylococci of animal origin. *Int J Med Microbiol* **303**(6-7):338-349.

Wendlandt S, Kadlec K, Feßler AT, Mevius D, van Essen-Zandbergen A, Hengeveld PD, Bosch T, Schouls L, Schwarz S, van Duijkeren E: 2013. Transmission of methicillin-resistant *Staphylococcus aureus* isolates on broiler farms *Vet Microbiol* **167**(3-4):632-637.

Wendlandt S, Kadlec K, Feßler AT, Monecke S, Ehricht R, van de Giessen AW, Hengeveld PD, Huijsdens X, Schwarz S, van Duijkeren E: 2013. Resistance phenotypes and genotypes of methicillin-resistant *Staphylococcus aureus* isolates from broiler chickens at slaughter and abattoir workers. *J Antimicrob Chemother* **68**(11):2458-2463.

Wendlandt S, Li B, Lozano C, Ma Z, Torres C, Schwarz S: 2013. Identification of the novel spectinomycin resistance gene *spw* in methicillin-resistant and methicillin-susceptible *Staphylococcus aureus* of human and animal origin. *J Antimicrob Chemother* **68**(7):1679-1680.

Wendlandt S, Li B, Ma Z, Schwarz S: 2013. Complete sequence of the multi-resistance plasmid pV7037 from a porcine methicillin-resistant *Staphylococcus aureus*. *Vet Microbiol* **166**(3-4):650-654.

Wendlandt S, Lozano C, Kadlec K, Gómez-Sanz E, Zarazaga M, Torres C, Schwarz S: 2013. The enterococcal ABC transporter gene *lسا(E)* confers combined resistance to lincosamides, pleuromutilins and streptogramin A antibiotics in methicillin-susceptible and methicillin-resistant *Staphylococcus aureus*. *J Antimicrob Chemother* **68**(2):473-475.

Wendlandt S, Schwarz S, Silley P: 2013. Methicillin-Resistant *Staphylococcus aureus*: A Food-Borne Pathogen? *Annu Rev Food Sci Technol* **4**:117-139.

Wu G, Day MJ, Mafura MT, Nunez-Garcia J, Fenner JJ, Sharma M, van Essen-Zandbergen A, Rodríguez I, Dierikx C, Kadlec K, Schink AK, Wain J, Helmuth R, Guerra B, Schwarz S, Threlfall J, Woodward MJ, Woodford N, Coldham N, Mevius D: 2013. Comparative analysis of ESBL-positive *Escherichia coli* isolates from animals and humans from the UK, The Netherlands and Germany. *PLoS One*. **8**(9):e75392.

Xia D, Parvizi N, Zhou Y, Xu K, Jiang H, Li R, Hang Y, Lu Y: 2013. Paternal fenvaleate exposure influences reproductive functions in the offspring. *Reprod Sci* **20**(11):1308-1315.

Zhang WJ, Lu Z, Schwarz S, Zhang RM, Wang XM, Si W, Yu S, Chen L, Liu S: 2013. Complete sequence of the *bla_{NDM-1}*-carrying plasmid pNDM-AB from *Acinetobacter baumannii* of food animal origin. *J Antimicrob Chemother* **68**(7):1681-1682.